

Cell**Cell Press: Opening for
Scientific Editors**
[Home](#) [Search](#) [Archive](#) [Subscribe](#)
[Feedback](#) [Help](#)

 Subscriber: US Patent and Trademark Office | [Sign In as Individual](#) | [Register as Individual](#)

 Copyright © 1992 by Cell Press
 Cell, Vol. 70, 419-429, August, 1992

Phosphatidylinositol 3-kinase: Structure and Expression of the 110 Kd Catalytic Subunit

I. D. Hiles, M. Otsu, S. Volinia, M. J. Fry, I. Gout, R. Dhand, G. Panayotou, F. Ruiz-Larrea, A. Thompson, and N. F. Totty

Ludwig Institute for Cancer Research, London, England

[Table of Contents](#)

 This article has been cited by: [other online articles](#)

Search Medline for articles by:

[I. D. Hiles](#) | [N. F. Totty](#)
[Download to Citation Manager](#)

Purified bovine brain phosphatidylinositol 3-kinase (PI3-kinase) is composed of 85 kd and 110 kd subunits. The 85 kd subunit (p85 alpha) lacks PI3-kinase activity and acts as an adaptor, coupling the 110 kd subunit (p110) to activated protein tyrosine kinases. Here the characterization of the p110 subunit is presented. cDNA cloning reveals p110 to be a 1068 aa protein related to Vps34p, a *S. cerevisiae* protein involved in the sorting of proteins to the vacuole. p110 expressed in insect cells possesses PI3-kinase activity and associates with p85 α into an active p85 α -p110 complex that binds the activated colony-stimulating factor 1 receptor. p110 expressed in COS-1 cells is catalytically active only when complexed with p85 alpha.

[Table of Contents](#)

Search Medline for articles by:

[I. D. Hiles](#) | [N. F. Totty](#)
[Download to Citation Manager](#)

This article has been cited by the following articles:

- Stephens, L. R., Eguinoa, A., Erdjument-Bromage, H., Lui, M., Cooke, F., Coadwell, J., Smrcka, A. S., Thelen, M., Cadwallader, K., Tempst, P., and Hawkins, P. T. (1997). The G $\beta\gamma$ Sensitivity of a PI3K Is Dependent upon a Tightly Associated Adaptor, p101. *Cell* 89:105 [Summary] [Full Text]
- Lietzke, Susan E., Bose, Sahana, Cronin, Thomas, Klarlund, Jes, Chawla, Anil, Czech, Michael P., and Lambright, David G. (2000). Structural Basis of 3-Phosphoinositide Recognition by Pleckstrin Homology Domains. *Molecular Cell* 6:385 [Summary] [Full Text]

[Immunity](#)
[Neuron](#)
[Molecular Cell](#)
[Structure](#)
[Current Biology](#)
[Developmental Cell](#)
[Cancer Cell](#)
NEW!

Cell Content...

Copyright © 2002 by Cell Press.

 19-21 SEP, 2002
 BAMBERG,
 GERMANY
 info@dc2002.de
 7th International
 SYMPOSIUM ON CELL CYCLE CELLS <http://www.dc2002.de>

L2 ANSWER 23 OF 25 CAPLUS COPYRIGHT 2002 ACS
AN 1993:423557 CAPLUS
DN 119:23557
TI Phosphatidylinositol 3-kinase: structure and **expression** of the
110 kd catalytic subunit
AU Hiles, Ian D.; Otsu, Masayuki; Volinia, Stefano; Fry, Michael J.; Gout,
Ivan; Dhand, Ritu; Panayotou, George; Ruiz-Larrea, Fernanda; Thompson,
Andrew; et al.
CS Ludwig Inst. Cancer Res., London, W1P 8BT, UK
SO Cell (Cambridge, Mass.) (1992), 70(3), 419-29
CODEN: CELLB5; ISSN: 0092-8674
DT Journal
LA English

Genomics 1994 24(3) 472-7